

Sunsail 34

Specifications and Equipment List - Sunsail Upgrades In Bold

DECK & HULL

- Prisma Process®, ISO gelcoat surface, discontinuous balsa block coring
- Solid, hand-laid fibreglass, ISO gelcoat surface, protective barrier coat
- Inner fibreglass grid, high-load zones, cut out drainage system through structure
- Open bow pulpit (stainless steel)
- Stern pushpits in stainless steel with flag holder, horseshoe buoy with bracket
- **Outboard engine bracket**
- Anchor locker
- **12v - 1000w Electric windlass with 10mm gypsy, hand control wired direct and cockpit chain counter**
- **Anchor roller**
- Double uncoated lifelines (stainless steel) on starboard and port
- Toerail
- 6 x Aluminium mooring cleats
- Fixed windows along coachroof with integrated opening ports
- 4 x Opening deck hatches
- Opening port in starboard aft cabin
- 1 Large cockpit locker and 1 separate gas locker on side
- Liferaft locker in dedicated compartment in stern
- **GRP cockpit table**
- 2 x Steering wheels, (stainless steel) handrail
- 2 x Mounted steering compasses
- Throttle and engine control panel, warning lights. ignition protected by a plexiglass panel
- Dedicated space for instruments within easy reach of helm positions
- **Shoal keel**
- **Bimini and dodger**
- **Sunsail striping and graphics**
- **Transom protection**
- Fibreglass rudder

MAST, RIGGING & SAILS

- **Classic anodized aluminum mast and boom with customized, reinforced fittings and double spreaders**
- **Custom heavy duty battened charter mainsail**
- **Charter upgrade, heavy duty furling genoa with red UV protection strips**
- **Stackpack LazyJack system in Sunsail blue with logo**
- Harken mainsail traveller with ball-bearing cars and control lines led aft to cockpit
- Genoa tracks on side decks with adjustable lead cars
- Line stoppers on both sides of coachroof with return blocks
- 2 Self-tailing genoa winches (H35.2 STC)
- 1 x Self-tailing halyard winches (H35.2 STC)
- 2 x Winch handles
- Running rigging polyester topping lift, main halyard, genoa halyard, mainsheet, genoa sheets, reefing lines
- 2 x Reefing lines
- Mainsheet and genoa sheet led to helm station with stoppers
- Standing rigging is discontinuous wire 1 x 19
- Double backstay
- Rigid boom vang
- **ProFurl furling system**
- **Winndex wind vane**

EXHIBIT A

ENGINE & CONTROLS

- Yanmar 3YM20 -- 21hp diesel engine
- 1 Rotomoulded diesel tank 130L / 34USgal
- **Racor Fuel filter - clear bowl and metal flame deflector**
- Fully soundproofed engine compartment with engine access behind stairwell and from aft cabin
- Fuel/water separator
- Built-in muffler, forced air ventilation and stainless steel exhaust fitting aft
- Fixed 3-blade propeller

SALOON/INTERIOR

- Light oak composite floorboards
- Finished in Fine Teak laminate panels, trimmed in solid wood protected with UV stabilized varnish
- Saloon with seating, cushions, and storage under seating area
- Combination shade/insect screens for deck hatches
- Folding saloon table with fiddles
- Saloon table
- Bar built into the table leg, and second bar located at the forward end of the galley
- Storage cabinets behind seats
- Companionway with hinged door and plexiglass hatch
- **Companionway steps with molded non-slip surface**
- Headroom: 5'11" / 6'4" (1,81m / 1,92m)
- U-shaped seating area to starboard, wrap-around cushions and storage under seating area
- Dining table with wood fiddles, removable pedestal legs
- **Dining table converts to double berth**
- Storage cabinets along hull sides
- Lounge seating to port with plush cushions and upper storage
- Companionway with wood steps and non-slip strips
- Plexiglass companionway door with dedicated storage location
- **Faux leather saloon cushions**
- **Mosquito screens for portlights**

GALLEY

- Laminated, slate-style countertops, chrome plumbing fittings, storage cabinets
- L-shaped galley to starboard with stainless steel sink
- 100L / 26USgal icebox
- Cutlery storage
- 12v compressor under stove with evaporator plate located in fridge compartment
- **ENO 2-burner stove with black finish, wood handle, stainless steel oven/broiler**
- **Propane solenoid cut-off valve**
- L-shaped galley to starboard with glass separator between galley counter and seating area
- Storage compartment for books and magazines built into the galley façade
- Double stainless steel sinks with covers, solid countertops, chrome plumbing fittings, storage cabinets and drawers
- 12v refrigeration in single fridge box (180L / 47USgal), top opening

NAVIGATION CONSOLE

- Full-featured electrical panel, voltmeter and 12v plug
- Stow-a-way chart table with slate-style finish on work surface and room for a laptop computer

FORWARD CABIN

- Double centerline berth with high-density foam mattress
- Central double berth (2,03 x 1,70 x 0,36m / 7'6" x 5'7" x 1'3")
- Storage forward of berth
- 1 x Deep cabinet with shelves and hanging rod
- White vinyl lining on hull with lateral wood shelf

EXHIBIT A

- Storage locker under berth
- 1 x Opening deck hatch, for light and ventilation

AFT CABIN

- Aft cabin with access to starboard and large berth
- Double berth with high density foam mattress (2,00 x 1,40 x 1,18m / 6'6" x 4'7" x 3'10")
- Deep cabinet with shelves and hanging rod
- White vinyl lining on hull with lateral wood shelf

HEAD

- Large bowl marine toilet
- Clothes hook
- Towel holder
- Toilet paper holder
- Cabinet above sink with mirror
- Stainless steel hanging bar
- Electric shower sump pump
- **PMMA shower screen with stainless steel fitting**

PLUMBING INSTALLATION

- Roto moulded water tank 200L / 87USgal under the forward berth with deck fill
- **Hot & cold water shower in cockpit**
- Hot and cold water distributed throughout the boat via semi-rigid hose
- Water pump and accumulator tank
- Electric bilge pump on float switch and manual dual-action pump in cockpit
- Digital water level display
- Shower pumps equipped with individual electric pumps with filters and on-off switches
- Bilge pump filter and exhaust
- **25L / 6USgal hot water heater**

ELECTRICAL INSTALLATION

- 110v / 220v circuit shore power, outlets, distributor - shore power cable wired direct
- 12 x 110v or 220v cabin outlets
- 12v / 125Ah alternator
- Charge distributor/isolator
- 1 x 80ah engine starter battery
- **House battery bank -- 2 Gel batteries totalling 100amps**
- Positive battery switch for engine and house bank in aft cabin
- Electric panel with 12v breakers, 110v or 220v breakers, 12v consumption meter, 12v charging meter
- 12v plug per cabin and at nav station
- **LED lights throughout**
- **Fusion Radio / Mp3 player + 2 interior speakers + 2 cockpit speakers**
- **LED Navigation lights**
- **1 x USB plug per cabin**
- **Shore power air conditioning**
- **7" Multifunction touchscreen display in cockpit with fixed pod (WIFI enabled)**
- **1 x Tridata**
- **1 x Autopilot control head**
- **Hydraulic linear drive autopilot**
- **Depth sounder & anemometer windvane**
- **Fans in saloon and all cabins**
- **VHF**
- 1 x 40amp battery charger

EXHIBIT A

SAFETY GEAR

- **Primary and secondary anchors**
- **6 x Fenders**
- **6 x Mooring / dock lines**
- **Life jackets and safety harnesses per max pax**
- **Bell**
- **Flare Kit**
- **Binoculars**
- **Navigation tools: Parallel rule, compass, dividers**

CRUISING GEAR

- **Plates, cups, saucers, glasses per max pax**
- **Bed linens per max pax**
- **Flatware per max pax**
- **Pots, pans, miscellaneous food prep tools**
- **Cooking and serving utensils**
- **Coffee pot, tea kettle, toaster**
- **Snorkeling gear per max pax**
- **Towels and washcloths per max pax**

Initials

Initials

EXHIBIT A

SPECIFICATIONS

Length Overall:	10.34m/33ft 11in
Waterline Length:	9.40m/30ft 10in
Beam:	3.44m/11ft 3in
Draft:	1.49m/4ft 11in
Displacement:	5340kg/11772lb
Fuel Capacity:	130L/34gal
Water Capacity:	206L/54gal



The Builder reserves the right to change or amend the contents of this document at any time without prior notification to any third party, and no liability will be accepted for errors contained within the same.

Initials

Initials

Rev 1 (22-Sep-2016)